

3Dlockers

01924 240291

Do you know ?

Steel manufactured standard height compartment lockers at 1800mm high are ideal for senior pupils and reduced height lockers at 1370mm are perfectly suited for younger primary aged children.

For those awkward areas with limited space there are also modular lockers that can be stacked and nested.

There is also a wide choice of coloured door options available to provide a mix of colours e.g. harlequin effect. Standard locker options help when wanting a 'bespoke' locker this includes locker stands, sloping tops, various lock options and complementary cloakroom equipment.

The following check list will give guidance when choosing the correct locker...

Establish the total requirement of compartments, remembering to incorporate potential additional users in the future. ✓

Consider the size of compartment needed e.g. clothes hanging requirement, size of kitbags/rucksacks, etc. Popular locker configurations within educational establishments are 2, 3 and 4 door lockers. ✓

Survey the premises to establish suitable locker locations that are dry, free from excessive moisture, remembering high traffic areas may not be suitable plus any areas exposed to the outdoor elements. ✓

Position lockers in areas that are open to view to assist with deterring vandalism ✓

Carefully consider a suitable locking mechanism, popular options are a key operated cam lock or a padlock fitting. Padlock fittings will accept a key or combination padlock. The minimum shank diameter recommended is 6mm. Additional keyless solutions are featured within the brochure. ✓

Allowing sufficient time from ordering lockers to having them installed. During busy periods of national holidays give as much notice as possible to arrange supply and delivery. ✓

Finally, consider acquiring necessary spare locker components to replace damaged parts e.g. doors, locks etc. Tip... a well maintained locker is less likely to be abused than an unmaintained locker. ✓

Remember to seek guidance from recommended locker suppliers who can offer expert advice on choice and installation. ✓

Excellent

elite

low height lockers



one door locker

- Special low height 1370mm high
- Cost savings if supplied nested
- Reinforced doors
- Lock options

PRODUCT CODE	SIZE H x W x D mm	SINGLE	NEST OF 2	NEST OF 3
1330301	1370 x 300 x 300	✓	✓	✓
1330381	1370 x 300 x 380	✓	✓	✓
1330451	1370 x 300 x 450	✓	✓	✓

Supplied with a shelf and double coat hook

two door locker

- Special low height 1370mm high
- Sloping top option
- Reinforced doors
- Lock options

PRODUCT CODE	SIZE H x W x D mm	SINGLE	NEST OF 2	NEST OF 3
1330302	1370 x 300 x 300	✓	✓	✓
1330382	1370 x 300 x 380	✓	✓	✓
1330452	1370 x 300 x 450	✓	✓	✓

Supplied with a double coat hook in each compartment



school lockers



1370h x 300w x 300/380/450d

- A 200/1050h x 235w x 275/355/425d
- B 630h x 235w x 275/355/425d
- C 400h x 235w x 275/355/425d



three door locker

- Special low height 1370mm high
- Reinforced doors
- Lock options
- Perforated door option

PRODUCT CODE	SIZE H x W x D mm	SINGLE	NEST OF 2	NEST OF 3
1330303	1370 x 300 x 300	✓	✓	✓
1330383	1370 x 300 x 380	✓	✓	✓
1330453	1370 x 300 x 450	✓	✓	✓

Supplied with no internal fittings

Standard door colour options



All lockers supplied with mid grey carcass

elite

modular storage



quarto locker

- Ideal modular storage solution in difficult areas
- Pre-drilled for nesting
- Lock options available
- Reinforced doors
- Perforated door option

PRODUCT CODE SIZE H x W x D mm
 513045QU 512 x 300 x 450
 Supplied with no internal fittings

Standard door colour options



All lockers supplied with mid grey carcass



cube lockers



- A 250h x 240w x 280d
- B 330h x 315w x 360d
- C 400h x 385w x 430d

cube lockers

- Ideal for utilising awkward areas
- Can be stacked or nested
- Three sizes 300, 380 & 450mm
- Lock options available

PRODUCT CODE SIZE - H x W x D mm
 303030C 300 x 300 x 300
 383838C 380 x 380 x 380
 454545C 450 x 450 x 450

Supplied with no internal fittings

quarto locker

- A 400h x 235w x 425d



elite

compartment lockers



Ideal for secondary school pupils

3Dlockers

www.3dlockers.co.uk

01924 240291

three door locker

PRODUCT CODE	SIZE	CLEAR ENTRY	SINGLE	NEST OF 2	NEST OF 3
	H x W x D mm	H x W x D mm			
1830303	1800 x 300 x 300	540 x 235 x 275	✓	✓	✓
1830453	1800 x 300 x 450	540 x 235 x 425	✓	✓	✓

Supplied with no internal fittings


four door locker

PRODUCT CODE	SIZE	CLEAR ENTRY	SINGLE	NEST OF 2	NEST OF 3
	H x W x D mm	H x W x D mm			
1830304	1800 x 300 x 300	400 x 235 x 275	✓	✓	
1830454	1800 x 300 x 450	400 x 235 x 425	✓	✓	
1845454	1800 x 450 x 450	400 x 385 x 425	✓		

Supplied with no internal fittings



three door lockers



- A 540h x 235w x 275d
- B 540h x 235w x 425d


four door lockers



- A 400h x 235w x 275d
- B 400h x 235w x 425d
- C 400h x 385w x 425d

nested lockers...

Cost savings... manufactured with common sides, cannot be separated.



Only single and nest of 2 lockers can be supplied with sloping tops.





elite

school cloakroom



PIS150DSB




PIS150SSB

Frame colour options



Mesh compartments and trays supplied in mid grey



PIS120S



PIS120SSB



island seating

Single Sided Height 1370H x 400D mm

Beech wood slats. Back rest. Double coat hooks. Anti-bacterial powder coated paint finish. Optional extras - mesh shoe tray or compartments. Seat height 390 mm.

PRODUCT CODE	Length mm	Option	Coat Hooks
PIS120S	1200		9
PIS150S	1500		12
PIS120SST	1200	+ shoe tray	9
PIS150SST	1500	+ shoe tray	12
PIS120SSB	1200	+ 8 compartments	9
PIS150SSB	1500	+ 10 compartments	12

Island seating supplied flat packed - On-site assembly required

island seating

Double Sided Height 1370H x 760D mm

Beech wood slats. Back rest. Double coat hooks. Anti-bacterial powder coated paint finish. Optional extras - mesh shoe tray or compartments. Seat height 390 mm.

PRODUCT CODE	Length mm	Option	Coat Hooks
PIS120D	1200		18
PIS150D	1500		24
PIS120DST	1200	+ shoe tray	18
PIS150DST	1500	+ shoe tray	24
PIS120DSB	1200	+ 16 compartments	18
PIS150DSB	1500	+ 20 compartments	24

Island seating supplied flat packed - On-site assembly required